design - Florent Coirier



Designed by Florent Coirier, the WABAO collection is a synthesis of organic design, timeless elegance, and functionality. Comprising four elements: lounge armchair, versatile armchair, pouf, and side table, this collection combines refined design with functionality and elegance. Its smooth, enveloping, and organic lines radiate warmth and harmony while providing great comfort.

FT/EN/04.24 INCLASS 2

PRODUCT DATA SHEET WABAO

### **ECOLOGY**

INCLASS production processes are certified according to environmental standards ISO 14001 in order to minimise any impact on the environment.

ISO 14001 certificate +info

#### **QUALITY STANDARDS**

The quality management system of INCLASS is certified in accordance with ISO 9001 in all the design, manufacturing and sales procedures of its products. ISO 9001 certificate <u>+info</u>

### **WARRANTY**

5 years

### **FINISHES**

<u>Upholstery:</u> All fabrics and leathers indicated in our finishes book.

Finishes book +info

3

## <u>Tabletops</u>

# **Lacquered MDF** 22mm



### W1 colours



W2 colours



# Oak & walnut veneer

13mm



Oak



Walnut

stain





Walnut



Solid FENIX®

12mm





Black

### Solid HPL

12mm white core





Solid HPL 12mm sand core





 ${\sf Sand}$ 

# **Solid HPL STONES**

12mm





Dark brown Samas 3482



Light brown **Pulpis** 3447



White Olimpo 3493




Lounge armchair Code: BAO0010



Upholstered lounge armchair with an inner shell made of rotomoulded polyethylene covered with polyurethane foam and soft fiber. The seat is made with an inner plywood covered with moulded polyurethane foam with a density of 50 kg/m³ and soft fiber.

Upholstery: in all the fabrics indicated in our finishes book.




Armchair Code: BAO0020



Upholstered armchair with an inner shell made of rotomoulded polyethylene covered with polyurethane foam and soft fiber. The seat is made with an inner plywood covered with moulded polyurethane foam with a density of 50 kg/m³ and soft fiber.

Upholstery: in all the fabrics indicated in our finishes book.



FT/EN/04.24 INCLASS 5


Pouf Code: BAO0030



Upholstered pouf with an inner shell made of rotomoulded polyethylene covered with polyurethane foam and soft fiber. The seat is made with an inner plywood covered with moulded polyurethane foam with a density of 50 kg/m³ and soft fiber.

Upholstery: in all the fabrics indicated in our finishes book.





# Low table




Upholstered low table with an inner shell made of rotomoulded polyethylene. The oval top is avilable in a wide range of materials and finishes.

Upholstery: in all the fabrics indicated in our finishes book.

**Top finishes:** available in oak veneer, walnut veneer, solid HPL, solid FENIX $^{8}$ , and lacquered MDF in colours W1 and W2 from our tabletops swatch card.

| Upholstery   |                | G1                                  | G2                                  | G3                                  | G4                             | G5                             | G6                             | <b>G</b> 7                     | G10                            | G11                                 |
|--|----------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|-------------------------------------|
| Top material   | Code           | BAO0040                             | BAO0040                             | BAO0040                             | BAO0040                        | BAO0040                        | BAO0040                        | BAO0040                        | BAO0040                        | BAO0040                             |
| Oak<br>natural/stained                                     | Ω<br><b>KG</b> | 8,4 kg                              | 8,4 kg                              | 8,4 kg                              | 8,4 kg                         | 8,4 kg                         | 8,4 kg                         | 8,4 kg                         | 8,4 kg                         | 8,4 kg                              |
|  | вох            | 10 kg<br>0,17 m³<br>0,22 yd³        | 10 kg<br>0,17 m³<br>0,22 yd³        | 10 kg<br>0,17 m³<br>0,22 yd³        | 10 kg<br>0,17 m³<br>0,22 yd³   | 10 kg<br>0,17 m³<br>0,22 yd³   | 10 kg<br>0,17 m³<br>0,22 yd³   | 10 kg<br>0,17 m³<br>0,22 yd³   | 10 kg<br>0,17 m³<br>0,22 yd³   | 10 kg<br>0,17 m³<br>0,22 yd³        |
| <b>Walnut</b><br>natural                                   | KG             | 8,4 kg                              | 8,4 kg                              | 8,4 kg                              | 8,4 kg                         | 8,4 kg                         | 8,4 kg                         | 8,4 kg                         | 8,4 kg                         | 8,4 kg                              |
|  | вох            | 10 kg<br><b>0,17 m³</b><br>0,22 yd³ | 10 kg<br><b>0,17 m³</b><br>0,22 yd³ | 10 kg<br><b>0,17 m³</b><br>0,22 yd³ | 10 kg<br>0,17 m³<br>0,22 yd³   | 10 kg<br>0,17 m³<br>0,22 yd³   | 10 kg<br>0,17 m³<br>0,22 yd³   | 10 kg<br>0,17 m³<br>0,22 yd³   | 10 kg<br>0,17 m³<br>0,22 yd³   | 10 kg<br><b>0,17 m³</b><br>0,22 yd³ |
| <b>Lacquered MDF</b> colours W1                            | Ω<br><b>KG</b> | 10,1 kg                             | 10,1 kg                             | 10,1 kg                             | 10,1 kg                        | 10,1 kg                        | 10,1 kg                        | 10,1 kg                        | 10,1 kg                        | 10,1 kg                             |
|  | вох            | 11,7 kg<br>0,17 m³<br>0,22 yd³      | 11,7 kg<br>0,17 m³<br>0,22 yd³      | 11,7 kg<br>0,17 m³<br>0,22 yd³      | 11,7 kg<br>0,17 m³<br>0,22 yd³ | 11,7 kg<br>0,17 m³<br>0,22 yd³ | 11,7 kg<br>0,17 m³<br>0,22 yd³ | 11,7 kg<br>0,17 m³<br>0,22 yd³ | 11,7 kg<br>0,17 m³<br>0,22 yd³ | 11,7 kg<br>0,17 m³<br>0,22 yd³      |
| Lacquered MDF<br>colours W2                                | KG             | 10,1 kg                             | 10,1 kg                             | 10,1 kg                             | 10,1 kg                        | 10,1 kg                        | 10,1 kg                        | 10,1 kg                        | 10,1 kg                        | 10,1 kg                             |
|  | вох            | 11,7 kg<br>0,17 m³<br>0,22 yd³      | 11,7 kg<br>0,17 m³<br>0,22 yd³      | 11,7 kg<br>0,17 m³<br>0,22 yd³      | 11,7 kg<br>0,17 m³<br>0,22 yd³ | 11,7 kg<br>0,17 m³<br>0,22 yd³ | 11,7 kg<br>0,17 m³<br>0,22 yd³ | 11,7 kg<br>0,17 m³<br>0,22 yd³ | 11,7 kg<br>0,17 m³<br>0,22 yd³ | 11,7 kg<br>0,17 m³<br>0,22 yd³      |
| <b>Solid HPL</b> 12mm* white / white core sand / sand core | KG             | 10,6 kg                             | 10,6 kg                             | 10,6 kg                             | 10,6 kg                        | 10,6 kg                        | 10,6 kg                        | 10,6 kg                        | 10,6 kg                        | 10,6 kg                             |
|  | ВОХ            | 12,2 kg<br>0,17 m³<br>0,22 yd³      | 12,2 kg<br>0,17 m³<br>0,22 yd³      | 12,2 kg<br>0,17 m³<br>0,22 yd³      | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³      |
| <b>Solid FENIX®</b> 12mm*                                  | KG             | 10,8 kg                             | 10,8 kg                             | 10,8 kg                             | 10,8 kg                        | 10,8 kg                        | 10,8 kg                        | 10,8 kg                        | 10,8 kg                        | 10,8 kg                             |
|  | вох            | 12,2 kg<br>0,17 m³<br>0,22 yd³      | 12,2 kg<br>0,17 m³<br>0,22 yd³      | 12,2 kg<br>0,17 m³<br>0,22 yd³      | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³      |
| Solid HPL STONE<br>12mm*                                   | KG             | 10,6 kg                             | 10,6 kg                             | 10,6 kg                             | 10,6 kg                        | 10,6 kg                        | 10,6 kg                        | 10,6 kg                        | 10,6 kg                        | 10,6 kg                             |
|  | Вох            | 12,2 kg<br>0,17 m³<br>0,22 yd³      | 12,2 kg<br>0,17 m³<br>0,22 yd³      | 12,2 kg<br>0,17 m³<br>0,22 yd³      | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³ | 12,2 kg<br>0,17 m³<br>0,22 yd³      |



| COM 140cm / 55,1" per unit |                   |  |  |  |  |
|----------------------------|-------------------|--|--|--|--|
| 1 unit                     | 103,5cm<br>40,7'' |  |  |  |  |
| 8 or more units            | 103,5cm<br>40,7'' |  |  |  |  |
| * COM will be priced as G2 |                   |  |  |  |  |

FT/EN/04.24 INCLASS 6